STRUCTURE UPLOADED

=> d L1 HAS NO ANSWERS

Structure attributes must be viewed using STN Express query preparation.

=> s 11 full

FULL SEARCH INITIATED 10:45:26 FILE 'REGISTRY'

FULL SCREEN SEARCH COMPLETED -33 TO ITERATE

100.0% PROCESSED 33 ITERATIONS SEARCH TIME: 00.00.01

16 ANSWERS

L2 16 SEA SSS FUL L1

=> d 12 1-10

ANSWER 1 OF 16 REGISTRY COPYRIGHT 2008 ACS on STN

RN 886038-30-8 REGISTRY

ED Entered STN: 30 May 2006

CN Benzamide, N-[[[2,5-dichloro-4-(1,1,2,3,3,3-hexafluoropropoxy)pheny1]amino]carbony1]-2,6-difluoro-, mixt. with 2-[5-chloro-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-3-methyl-1H-pyrazol-4-yl]-1H-imidazole-4,5dicarbonitrile (9CI) (CA INDEX NAME) C17 H8 C12 F8 N2 O3 . C16 H6 C13 F3 N6

MF

CI MXS SR CA

STN Files: CA, CAPLUS, USPATFULL

CM 1

CRN 134183-95-2

CMF C16 H6 C13 F3 N6

CRN 103055-07-8 CMF C17 H8 C12 F8 N2 O3

$$\begin{array}{c|c} & & & & \\ & & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ &$$

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 2 OF 16 REGISTRY COPYRIGHT 2008 ACS on STN

RN 886038-29-5 REGISTRY

ED Entered STN: 30 May 2006

CN Milbemycin B, 5-O-demethyl-28-deoxy-25-[(1E)-1,3-dimethyl-1-butenyl]-6,28-epoxy-23-(methoxyimino)-, (6R,23E,25S)-, mixt. with 2-[5-chloro-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-3-methyl-1H-pyrazol-4-yl]-1H-imidazole-4,5-dicarbonitrile (9CI) (CA INDEX NAME)
FS STERGOSEARCH

MF C37 H53 N O8 . C16 H6 C13 F3 N6

CI MXS

SR CA

LC STN Files: CA, CAPLUS, USPATFULL

CM 1

CRN 134183-95-2

CMF C16 H6 C13 F3 N6

CRN 113507-06-5 CMF C37 H53 N O8

Absolute stereochemistry.
Double bond geometry as shown.

PAGE 1-A

PAGE 2-A

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

- L2 ANSWER 3 OF 16 REGISTRY COPYRIGHT 2008 ACS on STN
- RN 886038-28-4 REGISTRY
- ED Entered STN: 30 May 2006
- CN 1H-Imidazole-4,5-dicarbonitrile, 2-[5-chloro-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-3-methyl-1H-pyrazol-4-yl]-, mixt. with (1E)-N-[(6-chloro-3-pyridinyl)methyl]-N-methyl-N'-methyl-2-nitro-1,1-ethenediamine (9C1) (CA INDEX NAME)
 - FS STEREOSEARCH
- MF C16 H6 C13 F3 N6 . C11 H15 C1 N4 O2
- CI MXS
- SR CA
- LC STN Files: CA, CAPLUS, USPATFULL

CRN 150824-47-8

CMF C11 H15 C1 N4 O2

Double bond geometry as shown.

CM 2

CRN 134183-95-2 CMF C16 H6 C13 F3 N6

- 1 REFERENCES IN FILE CA (1907 TO DATE)
- 1 REFERENCES IN FILE CAPLUS (1907 TO DATE)
- L2 ANSWER 4 OF 16 REGISTRY COPYRIGHT 2008 ACS on STN
- RN 144911-03-5 REGISTRY
- ED Entered STN: 15 Dec 1992
- CN 1H-Imidazole-4,5-dicarbonitrile, 2-[5-chloro-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-3-(hydroxymethyl)-1H-pyrazol-4-yl]- (CA INDEX NAME)

MF C16 H6 C13 F3 N6 O

SR CA LC STN Files: CA, CAPLUS

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 5 OF 16 REGISTRY COPYRIGHT 2008 ACS on STN

RN 144910-98-5 REGISTRY

- ED Entered STN: 15 Dec 1992
- CN 1H-Imidazole-4,5-dicarbonitrile, 2-[5-chloro-3-cyano-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-1H-pyrazol-4-yl]- (CA INDEX NAME)

MF C16 H3 C13 F3 N7

- SR CA
- LC STN Files: CA, CAPLUS

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

- 1 REFERENCES IN FILE CA (1907 TO DATE) 1 REFERENCES IN FILE CAPLUS (1907 TO DATE)
- L2 ANSWER 6 OF 16 REGISTRY COPYRIGHT 2008 ACS on STN
- RN 144910-97-4 REGISTRY
- ED Entered STN: 15 Dec 1992
- CN 1H-Imidazole-4,5-dicarbonitrile, 2-[5-chloro-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-3-[(hydroxyimino)methyl]-1H-pyrazol-4-yl]- (CA INDEX NAME)

MF C16 H5 C13 F3 N7 O SR CA

LC STN Files: CA, CAPLUS

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 7 OF 16 REGISTRY COPYRIGHT 2008 ACS on STN

RN 144910-96-3 REGISTRY

- ED Entered STN: 15 Dec 1992
- CN 1H-Imidazole-4,5-dicarbonitrile, 2-[5-chloro-1-[2,6-dichloro-4-
- (trifluoromethyl)phenyl]-3-formyl-1H-pyrazol-4-yl]- (CA INDEX NAME) MF C16 H4 C13 F3 N6 O
- SR CA
- LC STN Files: CA, CAPLUS

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

- 1 REFERENCES IN FILE CA (1907 TO DATE) 1 REFERENCES IN FILE CAPLUS (1907 TO DATE)
- L2 ANSWER 8 OF 16 REGISTRY COPYRIGHT 2008 ACS on STN
- RN 144910-93-0 REGISTRY
- ED Entered STN: 15 Dec 1992
- CN 1H-Pyrazole-3-carboxamide, 5-chloro-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-4-(4,5-dicyano-1H-imidazol-2-yl)- (CA INDEX NAME)

MF C16 H5 C13 F3 N7 O

SR LC STN Files: CA, CAPLUS

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE) 1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

- ANSWER 9 OF 16 REGISTRY COPYRIGHT 2008 ACS on STN
- RN 144910-92-9 REGISTRY ED Entered STN: 15 Dec 1992
- CN 1H-Pyrazole-3-carboxylic acid, 5-chloro-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-4-(4,5-dicyano-1H-imidazol-2-yl)- (CA INDEX NAME)
- MF C16 H4 C13 F3 N6 O2 SR CA
- LC STN Files: CA, CAPLUS

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE) 1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

- ANSWER 10 OF 16 REGISTRY COPYRIGHT 2008 ACS on STN
- RN 144910-85-0 REGISTRY
- ED Entered STN: 15 Dec 1992
- CN 1H-Imidazole-4,5-dicarbonitrile, 2-[5-chloro-1-[2,6-dichloro-4-(trifluoromethy1)pheny1]-3-methoxy-1H-pyrazo1-4-y1]- (CA INDEX NAME)

MF C16 H6 C13 F3 N6 O SR CA LC STN Files: CA, CAPLUS

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

=> file caplus COST IN U.S. DOLLARS

SINCE FILE TOTAL ENTRY SESSION 198.36 198.57

FULL ESTIMATED COST

FILE 'CAPLUS' ENTERED AT 10:45:43 ON 08 SEP 2008
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2008 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 8 Sep 2008 VOL 149 ISS 11 FILE LAST UPDATED: 7 Sep 2008 (20080907/ED)

Caplus now includes complete International Patent Classification (IPC) reclassification data for the second quarter of 2008.

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

http://www.cas.org/legal/infopolicy.html

=> s 12

9 L2

L3 ANSWER 1 OF 9 CAPLUS COPYRIGHT 2008 ACS on STN

ACCESSION NUMBER: 2006:470466 CAPLUS <<LOGINID::20080908>>

DOCUMENT NUMBER: 144:446593

TITLE: Synergistic insecticidal and acaricidal

ectoparasiticidal compositions comprising a phenylimidazolylpyrazole derivative

INVENTOR(S): Bregante, Rafael Leaniz

PATENT ASSIGNEE(S): Popley Pharma Ltd., Urug. SOURCE: U.S. Pat. Appl. Publ., 11 pp.

CODEN: USXXCO

DOCUMENT TYPE: Patent LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

| PATENT INFORMATION: | | | | |
|---------------------|--------|------|-------|------|
| | PATENT | INFO | RMATI | : MC |

| PATENT NO. | KIND | DATE | APPLICATION NO. | DATE | | | |
|------------------------|--------|----------------------------|-------------------|----------------|--|--|--|
| | | | | | | | |
| US 20060105009 | A1 | 20060518 | US 2005-272153 | 20051110 | | | |
| AU 2005232262 | A1 | 20060601 | AU 2005-232262 | 20051109 | | | |
| MX 2005PA12146 | A | A 20060516 MX 2005-PA12146 | | | | | |
| EP 1668984 | A1 | 20060614 | EP 2005-381053 | 20051111 | | | |
| R: AT, BE, CH, | DE, DK | . ES, FR, GB, | GR, IT, LI, LU, N | L, SE, MC, PT, | | | |
| IE, SI, LT, | LV, FI | RO, MK, CY, | AL, TR, BG, CZ, E | E, HU, PL, SK, | | | |
| BA, HR, IS, | YU | | | | | | |
| BR 2005006071 | A | 20060711 | BR 2005-6071 | 20051111 | | | |
| JP 2006137761 | A | 20060601 | JP 2005-328965 | 20051114 | | | |
| PRIORITY APPLN. INFO.: | | | UY 2004-28617 | A 20041112 | | | |
| OTHER SOURCE(S): GI | MARPAT | 144:446593 | | | | | |

- AB Synergistic insecticidal and acaricidal ectoparasiticidal compns. comprise a phenylimidazolylpyrazole derivative I (R1-5 = H, halo or XnR7; R6 = C1-6 alky1; R7 = C1-4 alky1; X = 0, S, S0 or S02; n = 0 or 1) and a macrocyclic lactone, neonicotinoid, insect growth regulators, pyrethroid, pyrimidine derivative, organophosphorus insecticide or amitraz. The compns. are especially
- suitable as ectoparasiticides for cats and dogs.

Ι

T 886038-28-4 886038-29-5 886038-30-8 RL: AGR (Agricultural use); BIOL (Biological study); USES (Uses)

(synergistic insecticidal and acaricidal ectoparasiticidal composition)

RN 886038-28-4 CAPLUS

CN 1H-Imidazole-4,5-dicarbonitrile, 2-[5-chloro-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-3-methyl-1H-pyrazol-4-yl]-, mixt. with (1E)-N-[(6-chloro-3-pyridinyl)methyl]-N-ethyl-N'-methyl-2-nitro-1,1-ethenediamine (9C1) (CA INDEX NAME)

CM 1

CRN 150824-47-8 CMF C11 H15 C1 N4 O2

Double bond geometry as shown.

CM 2

CRN 134183-95-2 CMF C16 H6 C13 F3 N6

RN 886038-29-5 CAPLUS

CN Milbemycin B, 5-O-demethyl-28-deoxy-25-[(1E)-1,3-dimethyl-1-butenyl]-6,28-epoxy-23-(methoxyimino)-, (6R,23E,255)-, mixt. with 2-[5-chloro-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-3-methyl-1H-pyrazol-4-yl]-1H-imidazole-4,5-dicarbonitrile (9CI) (CA INDEX NAME)

CM 1

CRN 134183-95-2 CMF C16 H6 C13 F3 N6

CRN 113507-06-5 CMF C37 H53 N O8

Absolute stereochemistry.
Double bond geometry as shown.

PAGE 1-A

PAGE 2-A

OH

886038-30-8 CAPLUS

RN

 ${\tt CN \quad Benzamide, \ N-[[[2,5-dichloro-4-(1,1,2,3,3,3-hexafluoropropoxy)phenyl]amino}\\$

]carbonyl]-2,6-difluoro-, mixt. with 2-[5-chloro-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-3-methyl-1H-pyrazol-4-yl]-1H-imidazole-4,5-dicarbonitrile (9C1) (CA INDEX NAME)

CM 1

CRN 134183-95-2 CMF C16 H6 C13 F3 N6

CM :

CRN 103055-07-8 CMF C17 H8 C12 F8 N2 O3

IT 134183-86-1D, mixts. containing 134183-94-1D, mixts. containing
134183-96-3D, mixts. containing
RL: BUU (Biological use, unclassified); BIOL (Biological study); USES
(Uses)

(synergistic insecticidal and acaricidal ectoparasiticidal compns.) RN 134183-86-1 CAPLUS

CN 1H-Imidazole-4,5-dicarbonitrile, 2-[5-chloro-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-3-(1-methylethyl)-1H-pyrazol-4-yl]- (CA INDEX NAME)

RN 134183-94-1 CAPLUS

CN 1H-Imidazole-4,5-dicarbonitrile, 2-[5-chloro-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-3-(1,1-dimethylethyl)-1H-pyrazol-4-yl]- (CA INDEX NAME)

RN 134183-96-3 CAPLUS

CN 1H-Imidazole-4,5-dicarbonitrile, 2-[5-chloro-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-3-ethyl-1H-pyrazol-4-yl]- (CA INDEX NAME)

L3 ANSWER 2 OF 9 CAPLUS COPYRIGHT 2008 ACS on STN

ACCESSION NUMBER: 2006:103335 CAPLUS <<LOGINID::20080908>>

DOCUMENT NUMBER: 144:177505

TITLE: Veterinary composition comprising an arylpyrazole and a nitroenamine with enhanced antiparasitic activity

INVENTOR(S): Mertens, Christina; Dohrmann, Heike

PATENT ASSIGNEE(S): Akzo Nobel N.V., Neth.

SOURCE:

PCT Int. Appl., 21 pp.

CODEN: PIXXD2

DOCUMENT TYPE: LANGUAGE: Patent English

FAMILY ACC. NUM. COUNT: 1 PATENT INFORMATION:

| | | | | KIND DATE | | | APPLICATION NO. | | | | | | | | | | |
|--------|------------------|-----|-----|-----------|-----|-------------|-----------------|------------------------------------|-----------------------------------|-------|------|-------|-----|-----|-----|------|-----|
| | | | | | | A1 20060202 | | | | | | | | | | | |
| | ₩: | ΑE, | AG, | AL, | AM, | AT, | AU, | AZ, | BA, | BB, | BG, | BR, | BW, | BY, | BZ, | CA, | CH, |
| | | CN, | CO, | CR, | CU, | CZ, | DE, | DK, | DM, | DZ, | EC, | EE, | EG, | ES, | FI, | GB, | GD, |
| | | GE, | GH, | GM, | HR, | HU, | ID, | IL, | IN, | IS, | JP, | KE, | KG, | KM, | KP, | KR, | KZ, |
| | | LC, | LK, | LR, | LS, | LT, | LU, | LV, | MA, | MD, | MG, | MK, | MN, | MW, | MX, | MZ, | NA, |
| | | NG, | NI, | NO. | NZ, | OM, | PG, | PH, | PL, | PT. | RO, | RU, | SC. | SD, | SE, | SG, | SK, |
| | | SL, | SM. | SY, | TJ. | TM. | TN. | TR. | TT. | TZ. | UA. | UG, | US. | UZ. | VC, | VN. | YU, |
| | | ZA, | ZM, | ZW | | | | | | | | | | | | | |
| | RW: | AT. | BE. | BG, | CH, | CY, | CZ, | DE, | DK, | EE, | ES, | FI, | FR, | GB, | GR, | HU, | IE, |
| | | IS, | IT. | LT. | LU, | LV, | MC, | NL, | PL, | PT. | RO. | SE. | SI, | SK, | TR. | BF, | BJ, |
| | | CF. | CG. | CI. | CM. | GA. | GN, | GO, | GW. | ML. | MR. | NE. | SN. | TD. | TG. | BW. | GH. |
| | | | | | | | NA, | | | | | | | | | | |
| | | | | | RU, | | | | | | | | | | | , | |
| CA | 2574 | | | | | | | 0202 | | CA 2 | 005- | 2574 | 335 | | 2 | 0050 | 727 |
| | | | | | | | | | CA 2005-2574335 EP 2005-769652 | | | | | | | | |
| | | | | | | | CZ, | | | | | | | | | | |
| | | | | | | | LV, | | | | | | | | | | |
| .TP | 2008 | | | | | | | | | | | | | | | | 727 |
| | | | | | | | | | | | | | | | | | |
| | TY APPLN. INFO.: | | | | | | | 1 US 2007-698683 EP 2004-103616 | | | | | | | | | |
| /1/1 I | III MILDN. INIO | | | • • | | | | WO 2005-EP53667 | | | | | | | | | |
| | | | | | | | | | | 110 2 | 005 | DI 33 | 007 | | " 2 | 0050 | 121 |

OTHER SOURCE(S): MARPAT 144:177505

AB The invention relates to antiparasitic compns. comprising a combination of arylpyrazole compds. and nitroenamine compds. and their use in a method to control insect- and acarid- infestations on animals.

IT 134183-95-2

PRI

CN

RL: BUU (Biological use, unclassified); PAC (Pharmacological activity);
THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(veterinary composition comprising an arylpyrazole and a nitroenamine with enhanced antiparasitic activity)

RN 134183-95-2 CAPLUS

1H-Imidazole-4,5-dicarbonitrile, 2-[5-chloro-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-3-methyl-1H-pyrazol-4-yl]- (CA INDEX NAME)

L3 ANSWER 3 OF 9 CAPLUS COPYRIGHT 2008 ACS on STN

ACCESSION NUMBER: 2005:451173 CAPLUS <<LOGINID::20080908>>

DOCUMENT NUMBER: 142:457047

TITLE: Use of haloarvlpvrazole compounds in the control of

tick infestation on animals

INVENTOR(S): Mertens, Christina; Dohrmann, Heike

PATENT ASSIGNEE(S): Akzo Nobel N. V., Neth. SOURCE: PCT Int. Appl., 15 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT:

PATENT INFORMATION:

| | DATENT NO | | | | | KIND DATE | | | APPLICATION NO. | | | | | | DATE | | | |
|----------------|--------------------|------|------|-----|-----|------------------|-----|------|-----------------|-----------------|------------|-------|----------|------------|------|----------|-------|-------|
| | | TENT | | | | | | DATE | | | | PICMI | | | | | AIE | |
| | | | | | | | | | | | | | | | | | | |
| | WO | 2005 | 0466 | 56 | | A2 20050526 | | | WO 2 | 2004- | EP52 | 763 | 20041103 | | | | | |
| | | W: | ΑE, | AG, | AL, | AM, | AT, | AU, | AZ, | BA, | BB | BG, | BR, | BW, | BY, | BZ, | CA, | CH, |
| | | | CN. | CO. | CR. | CU. | CZ. | DE. | DK. | DM. | DZ. | EC. | EE. | EG. | ES. | FI. | GB. | GD. |
| | | | | | | | | | | | | JP, | | | | | | |
| | | | | | | | | | | | | MK, | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | sc, | | | | | | |
| | | | ТJ, | TM, | TN, | TR, | TT, | TZ, | UA, | UG, | US, | , UZ, | VC, | VN, | YU, | ZA, | ZM, | zw |
| | | RW: | BW, | GH, | GM, | KE, | LS, | MW, | MZ, | NA, | SD | SL, | SZ, | TZ, | UG, | ZM, | ZW, | AM, |
| | | | AZ, | BY, | KG, | KZ. | MD, | RU, | TJ, | TM. | AT. | BE, | BG, | CH, | CY, | CZ, | DE, | DK, |
| | | | EE. | ES. | FI. | FR. | GB. | GR. | HU. | TE. | IS. | IT, | LU. | MC. | NI | PI | PT. | RO. |
| | | | | | | | | | | | | CM, | | | | | | |
| | | | | | | | DI, | ъ, | CI, | co, | CI, | , CH, | Gri, | GIV, | σç, | GW, | 1111, | 1111, |
| | | | | SN, | | | | | | | | | | | | | | |
| | | | | | | | | | | | | 2004- | | | | | | |
| | EΡ | 1686 | 971 | | | A2 | | 2006 | 0809 | EP 2004-818410 | | | | | | 20041103 | | |
| | | R: | AT, | BE, | CH, | DE, | DK, | ES, | FR, | GB, | GR. | IT, | LI, | LU, | NL, | SE, | MC, | PT, |
| | | | IE. | SI. | LT. | LV. | FI. | RO. | MK. | CY. | AL. | TR, | BG. | CZ. | EE. | HU. | PI. | SK. |
| | | | | IS, | | , | , | | , | , | | | , | , | , | , | , | , |
| | TD | 2007 | | | | T | | 2007 | 1004 | | TD 1 | 2006- | E272 | 1 1 | | 2 | 0041 | 102 |
| | | | | | | | | 2007 | 1004 | | | | | | | | | |
| LOF | RITY APPLN. INFO.: | | | | | | | | | | A 20031104 | | | | | | | |
| | | | | | | | | | | WO 2004-EP52763 | | | | W 20041103 | | | | |
| HEF | R SOURCE(S): | | | | | MARPAT 142:45704 | | 047 | | | | | | | | | | |
| ILL COUNCE(C). | | | | | | | | | | | | | | | | | | |

OTHER SOURCE(S):

PRI

The invention discloses the use of haloarylpyrazole compds. as tick-repellent compns., as well as a administration regimen of specific haloarvlpvrazole compds. for the control of ticks on animals.

134183-95-2

RL: PAC (Pharmacological activity); THU (Therapeutic use); BIOL (Biological study); USES (Uses)

(haloarylpyrazole compds. for control of tick infestation on animals)

RN 134183-95-2 CAPLUS CN

1H-Imidazole-4,5-dicarbonitrile, 2-[5-chloro-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-3-methyl-1H-pyrazol-4-yl]- (CA INDEX NAME)

L3 ANSWER 4 OF 9 CAPLUS COPYRIGHT 2008 ACS on STN

ACCESSION NUMBER: 2005:405434 CAPLUS <<LOGINID::20080908>>

DOCUMENT NUMBER: 142:451831

TITLE: Ectoparasiticidal formulations of spinosyns and azole

pesticides

INVENTOR(S): Mertens, Christina; Dohrmann, Heike; Rshaid, Gabrieel

Aldolfo Marcos

PATENT ASSIGNEE(S): Akzo Nobel N.V., Neth. PCT Int. Appl., 19 pp.

SOURCE:

CODEN: PIXXD2

DOCUMENT TYPE: Patent LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

| | PATENT NO. | | | | | | | DATE | | APPLICATION NO. | | | | | | | | |
|----|------------------------|-------|------|-----|-----|------|-----|----------|------|-----------------|----|-------|------|-----|----------|-----|------|------|
| | | | | | | | _ | | | | | | | | | _ | | |
| | WO | 2005 | 0419 | 50 | | A1 | | 20050512 | | | WO | 2004- | EP52 | 762 | 20041103 | | | |
| | | W: | AE, | AG, | AL, | AM, | AT, | AU, | AZ, | BA, | BB | , BG, | BR, | BW, | BY, | BZ, | CA, | CH, |
| | | | CN. | co. | CR. | CU. | CZ. | DE. | DK. | DM. | DZ | , EC, | EE. | EG. | ES. | FI. | GB. | GD. |
| | | | | | | | | | | | | , JP, | | | | | | |
| | | | | | | | | | | | | , MK, | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | , sc, | | | | | | |
| | | | | | | | | | | | | , UZ, | | | | | | |
| | | RW: | | | | | | | | | | , SL, | | | | | | |
| | | | ΑZ, | BY, | KG, | ΚZ, | MD, | RU, | ΤJ, | TM, | ΑT | , BE, | BG, | CH, | CY, | CZ, | DE, | DK, |
| | | | EE, | ES, | FI, | FR, | GB, | GR, | HU, | IE, | IS | , IT, | LU, | MC, | NL, | PL, | PT, | RO, |
| | | | SE. | SI. | SK. | TR. | BF. | BJ. | CF. | CG. | CI | , CM, | GA. | GN. | GO. | GW. | ML. | MR. |
| | | | | SN, | | | | | | | | | , | | - ~, | | | , |
| | CA | 2544 | | | | | | | | CA 2004-2544417 | | | | | 20041103 | | | |
| | | | | | | | | | | EP 2004-817400 | | | | | | | | |
| | | | | | | | | | | | | , IT, | | | | | | |
| | | 14. | | | | | | | | | | , HU, | | | | JE, | ric, | L 1, |
| | 770 | 0007 | | | | | | | | | | | | | | ^ | 0047 | 100 |
| | | | | | | | | | | | | 2006- | | | | | | |
| | | | | | | | | 2007 | 0301 | | | 2006- | | | | | | |
| P. | PRIORITY APPLN. INFO.: | | | | | | | | | | | 2003- | | | | | | |
| | | | | | | | | | | | WO | 2004- | EP52 | 762 | | W 2 | 0041 | 103 |
| 0 | THER S | OURCE | (S): | | | MARI | PAT | 142: | 4518 | 31 | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |

OTH

The present invention relates to formulations comprising a combination of an azote pesticide and spinosyns as active ingredients for the control of ectoparasites such as ticks or fleas, and to a method for the manufacture of a medicament for controlling an ectoparasite infestation by administering the active ingredients in combination, either simultaneously or sequentially.

134183-95-2 TT

AB

RL: AGR (Agricultural use); BUU (Biological use, unclassified); PEP (Physical, engineering or chemical process); PYP (Physical process); THU (Therapeutic use); BIOL (Biological study); PROC (Process); USES (Uses) (ectoparasiticidal formulations of spinosyns and azole pesticides)

RN 134183-95-2 CAPLUS

1H-Imidazole-4,5-dicarbonitrile, 2-[5-chloro-1-[2,6-dichloro-4-CN (trifluoromethyl)phenyl]-3-methyl-1H-pyrazol-4-yl]- (CA INDEX NAME)

REFERENCE COUNT: THERE ARE 3 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L3 ANSWER 5 OF 9 CAPLUS COPYRIGHT 2008 ACS on STN

ACCESSION NUMBER: 2004:876070 CAPLUS <<LOGINID::20080908>>

DOCUMENT NUMBER: 141:366225

TITLE: Improved process for the synthesis of insecticidal 1-aryl-4-(imidazol-2-yl)-3-alkyl-1H-pyrazoles, in particular 5-chloro-1-arvl-4-(4,5-dicvano-1H-imidazol-

2-yl)-3-alkyl-1H-pyrazole, by Vilsmeier reaction, condensation and oxidative cyclization

INVENTOR(S):

Mazzola, Alessandro; Sanso, Giovanni Evultis, Switz. PATENT ASSIGNEE(S):

SOURCE: Fr. Demande, 24 pp. CODEN: FRXXBL

DOCUMENT TYPE: Patent LANGUAGE: French

FAMILY ACC. NUM. COUNT: PATENT INFORMATION:

| | PATENT NO. | | | | | | DATE | | | | ICAT | | | | | ATE | | | |
|----|--------------------|------|-----|-----|--------------------------|-------------|------|-------------------------|-------------------|------|------|-------|----------|----------|------|-------|------|------|----|
| | | | | | | A1 20041022 | | | | | | | | | | | | | |
| E. | K | 2853 | 902 | | | AI | | | | | FR Z | 003- | 4806 | | | 2 | 0030 | 41/ | |
| | | | | | | | | 20050624 | | | | | | | | | | | |
| | | | | | | | | 20041028 AU 2004-230326 | | | | | | | | | | | |
| C. | | | | | 20041028 CA 2004-2522596 | | | | | | | | | | | | | | |
| W | WO 2004092159 A1 2 | | | | 2004 | 1028 | | WO 2 | 004- | IB15 | 13 | | 20040409 | | | | | | |
| | | W: | ΑE, | AG, | AL, | AM, | AT, | AU, | AZ, | BA, | BB, | BG, | BR, | BW, | BY, | BZ, | CA, | CH, | |
| | | | CN, | CO, | CR, | CU, | CZ, | DE, | DK, | DM, | DZ, | EC, | EE, | EG, | ES, | FI, | GB, | GD, | |
| | | | GE, | GH. | GM, | HR. | HU, | ID, | IL. | IN. | IS, | JP, | KE. | KG. | KP. | KR. | KZ, | LC, | |
| | | | | | | | | | | | | MK, | | | | | | | |
| | | | | | | | | | | | | SC. | | | | | | | |
| | | | | | | | | | | | | UZ, | | | | | | | |
| | | DW. | | | | | | | | | | SZ, | | | | | | | |
| | | | | | | | | | | | | BG, | | | | | | | |
| | | | | | | | | | | | | MC, | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | DU, | CE, | CG, | CI, | CPI, | GA, | GN, | GQ, | GW, | PIL, | PIPC, | INE. | DIV, | |
| _ | _ | | | TG | | | | | | | | | | | | | | | |
| | | 1618 | | | | | | | | | EP Z | 004- | 1261 | 29 | | 2 | 0040 | 409 | |
| E | Р | 1618 | | | | | | | | | | | | | | | | | |
| | | R: | | | | | | | | | | IT, | | | | | | | |
| | | | | | | | | | | | | | | | | | | SK, | HR |
| | | 2004 | | | | | | | | | | | | | | | | | |
| | | 1774 | | | | | | | | | CN 2 | 004 - | 8001 | 0314 | | 2 | 0040 | 409 | |
| | | 1003 | | | | | | | | | | | | | | | | | |
| J | JP 2006523677 | | | T | | 20061019 | | | 9 JP 2006-506615 | | | | | 20040409 | | | | | |
| A | AT 365164 | | | | T | | 2007 | 0715 | .5 AT 2004-726729 | | | | 20040409 | | | | | | |
| | | | | | | | | | | | | | | | | | | | |

| ES 2289506 | Т3 | 20080201 | ES | 2004-726729 | | 20040409 |
|------------------------|----|----------|------|--------------|-----|----------|
| MX 2005PA11169 | A | 20060525 | MX | 2005-PA11169 | | 20051017 |
| US 20070155811 | A1 | 20070705 | US | 2006-553399 | | 20060913 |
| PRIORITY APPLN. INFO.: | | | FR | 2003-4806 | A | 20030417 |
| | | | 1470 | 2004 TD1512 | T47 | 20040400 |

OTHER SOURCE(S): CASREACT 141:366225; MARPAT 141:366225

* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT *

AB The invention is directed to an improved process of preparation of insecticidal l-aryl-4-(imidazol-2-yl)-3-alkyl-1H-pyrazoles, in particular 5-chloro-1-aryl-4-(4,5-dicyano-1H-imidazol-2-yl)-3-alkyl-1H-pyrazole of formula (I) [wherein R1 to R5 = independently H, halo, -(X)n-R7; X = 0, S, S0, S02; n = 0-1; R7 = (un)saturated C1-C4 alkyl optionally substituted by halogens; R6 = (un)saturated C1-C6 alkyl optionally substituted by halogens; R6 = (un)saturated C1-C6 alkyl optionally substituted by halogens]. A stepwise method involved Vilsmeier reaction of 1-aryl-3-alkyl-1H-pyrazoline-5-one (II) in DMF in the presence of PCC1/condensation of the aldehyde with diaminomaleonitrile in MeOH, followed by oxidative cyclization of the imine (III) in the presence of a hypochlorite [R1 to R6 defined as above]. The last 2 steps can be performed in one pot. The advantages include minimization of number of steps, simple purification and

high

yield of the product. IV was prepared from pyrazolone I (R1 = R5 = C1; R3 = CF3; R2 = R4 = H; R6 = Me) in 3 steps with yields of 86%, 98%, and 88% using NaOCl as oxidizing agent. Alternatively, the second and third step gave 82% yield in the one-pot version.

IIT 134183-86-1P, 5-Chloro-1-(2,6-dichloro-4-trifluoromethylphenyl)-4(4,5-dicyano-1H-imidazol-2-yl)-3-isopropyl-1H-pyrazole

134183-94-1P, 5-Chloro-1-(2,6-dichloro-4-trifluoromethylphenyl)-4-(4,5-dicyano-1H-imidazol-2-vl)-3-tert-butyl-1H-pyrazole

(4,5-dicyano-iH-imidazo1-2-y1)-3-tert-buty1-iH-pyrazo1e 134183-95-2P, 5-Chloro-1-(2,6-dichloro-4-trifluoromethylphenyl)-4-

(4,5-dicyano-1H-imidazol-2-yl)-3-methyl-1H-pyrazole 134183-96-3P

, 5-Chloro-1-(2,6-dichloro-4-trifluoromethylphenyl)-4-(4,5-dicyano-1H-imidazol-2-yl)-3-ethyl-1H-pyrazole

RL: IMF (Industrial manufacture); PREP (Preparation)

(pyrazole product; synthesis of arylimidazolylalkylpyrazole by Vilsmeier reaction, condensation and oxidative cyclization in the presence of hypochlorites)

RN 134183-86-1 CAPLUS

CN 1H-Imidazole-4,5-dicarbonitrile, 2-[5-chloro-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-3-(1-methylethyl)-1H-pyrazol-4-yl]- (CA INDEX NAME)

RN 134183-94-1 CAPLUS

CN 1H-Imidazole-4,5-dicarbonitrile, 2-[5-chloro-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-3-(1,1-dimethylethyl)-1H-pyrazol-4-yl]- (CA INDEX NAME)

RN 134183-95-2 CAPLUS

CN 1H-Imidazole-4,5-dicarbonitrile, 2-[5-chloro-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-3-methyl-1H-pyrazol-4-yl]- (CA INDEX NAME)

RN 134183-96-3 CAPLUS

CN 1H-Imidazole-4,5-dicarbonitrile, 2-[5-chloro-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-3-ethyl-1H-pyrazol-4-yl]- (CA INDEX NAME)

1

L3 ANSWER 6 OF 9 CAPLUS COPYRIGHT 2008 ACS on STN

ACCESSION NUMBER: 1996:249988 CAPLUS <<LOGINID::20080908>>

DOCUMENT NUMBER: 124:338323

ORIGINAL REFERENCE NO.: 124:62713a,62716a

Novel azole derivatives are antagonists at the TITLE:

inhibitory GABA receptor on the somatic muscle cells

of the parasitic nematode Ascaris suum AUTHOR(S): Bascal, Z.; Holden-Dve, L.; Willis, R. J.; Smith, S.

W. G.; Walker, R. J.

CORPORATE SOURCE: Department of Physiology and Pharmacology, University

of Southampton, Southampton, SO9 3TU, UK SOURCE:

Parasitology (1996), 112(2), 253-9 CODEN: PARAAE; ISSN: 0031-1820

PUBLISHER: Cambridge University Press

DOCUMENT TYPE: Journal LANGUAGE: English

The somatic muscle cells of the parasitic nematode A. suum possess GABA

receptors that gate C1- conductances in a similar fashion to the mammalian GABAA receptor subtype. These receptors mediate muscle relaxation and are the site of action of the anthelmintic piperazine. The properties of this receptor differ from the properties of the GABA-gated C1- receptors in the mammalian host, in particular they are not as sensitive to mammalian GABA receptor antagonists such as bicuculline and picrotoxin. Using 2-electrode intracellular electrophysiol. recording techniques from Ascaris muscle cells, we have tested the potency of a series of azole derivs. for their ability to block the C1--dependent GABA response. The lead compound, SN606078, 2-(2,6-dichloro-4-trifluoromethylphenyl)-4-(4,5dicyano-1H-imidazol-2-yl)- 2H-1,2,3-triazole, and 4 structurally related compds. reversibly blocked the conductance increase elicited by 30 µM GABA with IC50s of <10 μM. SN606078 (10 μM) decreased the slope of the dose-response curve for GABA, suggesting a non-competitive mechanism of action. In 2-electrode voltage clamp expts., 10 µM SN606078 blocked the outward current elicited by 20 µM GABA in a voltage-dependent manner with 72% inhibition at -20 mV and 49% inhibition at -40 mV. These observations indicate that SN606078 may act as an open-channel blocker of the GABA-gated C1- channel in A. suum.

134183-96-3, SN 609997

RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); BIOL (Biological study)

(azole derivs, as antagonists at inhibitory GABA receptor on muscle of parasitic nematode)

RN 134183-96-3 CAPLUS

CN 1H-Imidazole-4,5-dicarbonitrile, 2-[5-chloro-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-3-ethyl-1H-pyrazol-4-yl]- (CA INDEX NAME)

L3 ANSWER 7 OF 9 CAPLUS COPYRIGHT 2008 ACS on STN

ACCESSION NUMBER: 1996:144455 CAPLUS <<LOGINID::20080908>>

DOCUMENT NUMBER: 124:196455

ORIGINAL REFERENCE NO.: 124:36179a,36182a

TITLE: Extended efficacy spectrum of azole pesticides.

CORPORATE SOURCE: Hoechst Veterinaer GmbH, Germany

SOURCE: Research Disclosure (1995), 380, P802 (No. 38028)

CODEN: RSDSBB; ISSN: 0374-4353

PUBLISHER: Kenneth Mason Publications Ltd.

DOCUMENT TYPE: Journal; Patent

LANGUAGE: English FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

| PATENT NO. | KIND | DATE | APPLICATION NO. | DATE |
|-------------------------|---------|--------------|-------------------------|----------|
| | | | | |
| RD 380028 | | 19951210 | RD 1995-380028 | 19951210 |
| PRIORITY APPLN. INFO.: | | | RD 1995-380028 | 19951210 |
| AB 5-Chloro-1-(2,6-dich | nloro-4 | -trifluorome | thylphenyl)-4-(4,5-dicy | ano-1H- |

AB 5-Chloro-1-(2,6-dichloro-4-trifluoromethylphenyl)-4-(4,5-dicyano-1H-imidazol-2-yl)-3-methyl-1H-pyrazole was active against many ecto- and endoparasites, such as fleas, ticks, Dirofilaria, Haematobia, Stomoxys, Glossina and myasis flies.

IT 134183-95-2

RN

RL: BUU (Biological use, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses) (ecto- and endoparasiticide)

134183-95-2 CAPLUS

CN 1H-Imidazole-4,5-dicarbonitrile, 2-[5-chloro-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-3-methyl-1H-pyrazol-4-yl]- (CA INDEX NAME)

L3 ANSWER 8 OF 9 CAPLUS COPYRIGHT 2008 ACS on STN

ACCESSION NUMBER: 1993:101951 CAPLUS <<LOGINID::20080908>>

DOCUMENT NUMBER: 118:101951

ORIGINAL REFERENCE NO.: 118:17861a,17864a

TITLE: Imidazole pesticides

INVENTOR(S): Willis, Robert John; O'Mahony, Mary Josephine; Roberts, Bryan Glyn; Marlow, Ian David; Boddy, Ian

Kenneth

PATENT ASSIGNEE(S): Schering Agrochemicals Ltd., UK

SOURCE: PCT Int. Appl., 82 pp. CODEN: PIXXD2

CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English

LANGUAGE: E: FAMILY ACC. NUM. COUNT: 1

| PATENT NO. | KIND DATE | APPLICATION NO. | DATE | | | |
|---------------------------|-------------------------------|--|--------------------------|--|--|--|
| WO 9213451 | A1 19920820 | | 19920210 | | | |
| | | JP, KR, PL, RO, RU, CI, CM, DE, DK, ES, | | | | |
| GR, IT, LU, AU 9211912 | MC, ML, MR, NL, A 19920907 | | 19920210 | | | |
| PRIORITY APPLN. INFO.: | | GB 1991-2834 GB 1991-2835 | A 19910211 A 19910211 | | | |
| | | GB 1991-2838 | A 19910211 | | | |
| | | GB 1991-2841 GB 1991-2847 | A 19910211 A 19910211 | | | |
| | | GB 1991-2848 GB 1991-2857 | A 19910211 A 19910211 | | | |
| | | GB 1991-14712 GB 1991-17822 | A 19910708 A 19910817 | | | |
| | | WO 1992-GB233 | A 19920210 | | | |
| OTHER SOURCE(S): | MARPAT 118:10195 | 51 | | | | |

 $z_{(A)p}$ x_{R3} x_{R2} x_{R4} x_{R4} x_{R4} x_{R4} x_{R5} x_{R4} x_{R4} x_{R4} x_{R5} x_{R4} x_{R4} x_{R5} x_{R4} x_{R5} x_{R4} x_{R5} x_{R4} x_{R5} x_{R4} x_{R5} x_{R5} x_{R6} x_{R6} x_{R7} x_{R7}

AB Imidazoles I [Z = N-containing heterocycle Z1-Z5; Ar = aryl; V1 = N, CR9; V2 = N, CR10; W1 = N, CR8; W2 = N, CR11; W1 and W2 are not both N; W3 = O, S, NR40, CR41:CR42; X = O, S; Y = O, S, NR12; W4 = C, S (when Y = O); A = S(O)m, O, NR13; R1, R2 = H, alkyl, -CN, halo, NO2; R3 = H, alkyl, acyl, alkoxycarbonyl, sulfamoyl; R5 = H, halo, alkyl, alkoxy, NR16R17, -CN, NO2, SO2NR16R17, CYNR16R17, CO2R18, R19S(O)m; R4, R10 = H, halo, OH, SH, -CN, NO2, alkyl, alkoxy, NR16R17, SO2NR16R17, CHO, CH2OH, CO2R18, R19S(O)m; R6 = alkyl, OH, alkoxy, -CN, NO2, R19S(O)m, 5-membered heteroaryl; R7, R8, R11 = H, halo, alkyl, alkylthio; R9 = H, halo, alkyl, formyl, alkoxy, aryl, cyano, NO2, OH, trialkylsiloxy, CYNR16R17, CO2R18, R19S(O)m; R12, R13 = H, alkyl, acyl; R16, R17 = H, alkyl, acyl, aryl; NR16R17 = N-containing ring; R18 = H, alkyl; R19 = alkyl; R40 = H, alkyl, acyl; R41, R42 = H, alky1; m = 0, 1, 2; p = 0 or 1 when Z = Z1 or Z2 and 1s 0 when Z = Z3-Z5]were prepared Thus 0.53 g 3-[(2-amino-1,2-dicyanoethenylimino)methyl]-1-(2,6-dichloro-4-trifluoromethylphenyl)-2,5-dimethylpyrrole was cyclized in the presence of 2,3-dichloro-5,6-dicyano-1,4-benzoquinone (0.28 g) in dioxane under reflux for 6 h to give 1-(2,6-dichloro-4trifluoromethylphenyl)-3-(4,5-dicyano-1H-imidazol-2-yl)-2,5dimethylpyrrole. Many examples of I were active insecticides, acaricides, and endoparasiticides in tests (sheep blow fly, blue tick, house fly, cockroach, Trichostrongylus colubriformis).

IT 144890-50-6P 144890-52-8P 144910-85-0P

144910-92-9P 144910-93-0P 144910-96-3P

144910-97-4P 144910-98-5P

RL: AGR (Agricultural use); BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation); USES (Uses) (preparation and pesticidal activity of

RN 144890-50-6 CAPLUS

CN

1H-Fyrazole-3-carboxylic acid, 5-chloro-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-4-(4,5-dicyano-1H-imidazol-2-yl)-, ethyl ester (CA INDEX NAME)

RN 144890-52-8 CAPLUS

CN 1H-Pyrazole-3-carboxylic acid, 5-chloro-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-4-(4,5-dicyano-1H-imidazol-2-yl)-, methyl ester (CA INDEX NAME)

RN 144910-85-0 CAPLUS

CN 1H-Imidazole-4,5-dicarbonitrile, 2-[5-chloro-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-3-methoxy-1H-pyrazol-4-yl]- (CA INDEX NAME)

RN 144910-92-9 CAPLUS
CN 1H-Pyrazole-3-carboxylic acid, 5-chloro-1-[2,6-dichloro-4(trifluoromethyl)phenyl]-4-(4,5-dicyano-1H-imidazol-2-yl)(CA INDEX
NAME)

- RN 144910-93-0 CAPLUS
- CN 1H-Pyrazole-3-carboxamide, 5-chloro-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-4-(4,5-dicyano-1H-imidazol-2-yl)- (CA INDEX NAME)

- RN 144910-96-3 CAPLUS
- CN 1H-Imidazole-4,5-dicarbonitrile, 2-[5-chloro-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-3-formyl-1H-pyrazol-4-yl]- (CA INDEX NAME)

RN 144910-97-4 CAPLUS

CN 1H-Imidazole-4,5-dicarbonitrile, 2-[5-chloro-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-3-[(hydroxyimino)methyl]-1H-pyrazol-4-yl]- (CA INDEX NAME)

RN 144910-98-5 CAPLUS

CN 1H-Imidazole-4,5-dicarbonitrile, 2-[5-chloro-3-cyano-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-1H-pyrazol-4-yl]- (CA INDEX NAME)

IT 144911-03-5P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(preparation, oxidation, and pesticidal activity of)

RN 144911-03-5 CAPLUS

CN lH-Tmidazole-4,5-dicarbonitrile, 2-[5-chloro-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-3-(hydroxymethyl)-lH-pyrazol-4-yl]- (CA INDEX NAME)

L3 ANSWER 9 OF 9 CAPLUS COPYRIGHT 2008 ACS on STN

ACCESSION NUMBER: 1991:408811 CAPLUS <<LOGINID::20080908>>

DOCUMENT NUMBER: 115:8811

ORIGINAL REFERENCE NO.: 115:1725a,1728a

TITLE:

Aryl[(imidazolylaryl)alkyl]triazoles and aryl(imidazolylaryl)triazoles: preparation and pesticidal activity

INVENTOR(S): Willis, Robert John; O'Mahony, Mary Josephine;

Roberts, Bryan Glyn PATENT ASSIGNEE(S): Schering Agrochemicals Ltd., UK

SOURCE:

PR

Eur. Pat. Appl., 26 pp. CODEN: EPXXDW

DOCUMENT TYPE: Patent LANGUAGE: English

FAMILY ACC. NUM. COUNT:

PATENT INFORMATION:

| | TENT NO. | | | | | DATE | | PLICATION N | | | DATE |
|--|---|-----|-----|--|-----|---|----------------------------------|---|-------------------|--------|--|
| EP EP | 412849 | | | A2 A3 | | 19910213 19920415 19951220 | | 1990-30885 | | | 19900810 |
| DD IL US CA AU AU HU HU JP | R: AT, 298101 95307 5109012 2022993 9060846 627064 54462 208228 03083981 | BE, | CH, | DE, A5 A A1 A B2 A2 B | DK, | ES, FR, 19920206 19951127 19920428 19910211 19910214 19920813 19910328 19930928 19910409 | DD IL US CA AU HU | R, IT, LI, 1990-34314 1990-95307 1990-56472 1990-20229 1990-60846 1990-4951 | 7 9 93 7 | | 19900730 19900807 19900808 19900809 19900809 19900809 |
| FI FI CN CN | 95379 95379 1049341 1025582 | | | B C A C | | 19951013 19960125 19910220 19940810 | FI | 1990-6289 1990-3935 1990-3944 1990-10699 | 5 | | 19900809 |
| US | 131820 2082828 5189053 APPLN. | | | | | 19960115 19960401 19930223 | US GB GB | 1990-30885 1990-30885 1991-79736 1989-18314 1990-6653 1990-56472 | 5 | A A | 19911125 19890810 19900324 |

Ι

- AB Pesticidal 1-aryl-4-[([(2-imidazolyl)aryl]alkyl]-1,2,3-triazoles, 2-aryl-4-[(2-imidazolyl)aryl]alkyl]-1,2,3-triazoles, 2-aryl-4-[(2-imidazolyl)aryl]-1,2,3-triazoles, and 1-aryl-4-((2-imidazolyl)aryl]-1,2,3-triazoles, and 1-aryl-4-((2-imidazolyl)aryl]-1,2,3-triazoles are claimed. The reaction of 2,6,4-Cl2[F3C)CGHNHNH2 with 2-oxopropanedial 1,3-dioxime gave the hydrazone, which was subsequently acetylated. This acetate was cyclocondensed to give 2-((2,6-dichloro-4-(trifluoromethyl)phenyl]-2H-1,2,3-triazole-4-carboxaldehyde oxime, which was hydrolyzed to give the aldehyde. Condensation of the latter with diaminomaleonitrile gave 2-((2,6-dichloro-4-(trifluoromethyl)phenyl]-4-[(2-amino-1,2-dicyanoethenyl)imino]methyl]-2H-1,2,3-triazole, which cyclized in the presence of DDO to triazole I. I had pesticidal activity against Lucilia sericata (sheep blowfly), Nilaparvata lugens Stal (brown rice hopper), Tetranychus urticae Koch (two-spotted mite), and anthelmintic activity against Helimosomoidee polyavrus.
- IT 134183-86-1P 134183-94-1P 134183-95-2P

134183-96-3P

RL: AGR (Agricultural use); BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation); USES (Uses) (preparation and pesticidal activity of

RN 134183-86-1 CAPLUS

CN 1H-Imidazole-4,5-dicarbonitrile, 2-{5-chloro-1-{2,6-dichloro-4-(trifluoromethyl)phenyl}-3-(1-methylethyl)-1H-pyrazol-4-yl}- (CA INDEX NAME)

RN

CN 1H-Imidazole-4,5-dicarbonitrile, 2-[5-chloro-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-3-(1,1-dimethylethyl)-1H-pyrazol-4-yl]- (CA INDEX NAME)

- RN 134183-95-2 CAPLUS
- CN 1H-Imidazole-4,5-dicarbonitrile, 2-[5-chloro-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-3-methyl-1H-pyrazol-4-yl]- (CA INDEX NAME)

- RN 134183-96-3 CAPLUS
- CN 1H-Imidazole-4,5-dicarbonitrile, 2-[5-chloro-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-3-ethyl-1H-pyrazol-4-yl]- (CA INDEX NAME)

```
---Logging off of STN---
```

Executing the logoff script...

=> LOG Y

=>